





































# Nova Pro Deluxe

## Drawer system

The Nova Pro Deluxe drawer side version impresses with a simple charm plus the quality of the Nova Pro slide technology that has proven itself a million times over.


|   | Product description  |   | Page |
|---|--|---|------|
|    | <b>Drawer H90</b> <ul style="list-style-type: none"> <li>• Practical standard drawer H90 for every application</li> <li>• Suitable for all railing systems</li> <li>• Integrated height and side adjustment</li> </ul>   |    | 360  |
|    | <b>Pot drawer H90 with round railing</b> <ul style="list-style-type: none"> <li>• Practical standard drawer H90 for every application</li> <li>• Round railing for screw fitting</li> <li>• Tilt angle adjustment via railing</li> </ul>   |    | 362  |
|   | <b>Pot drawer H90 with rectangular railing</b> <ul style="list-style-type: none"> <li>• Practical standard drawer H90 for every application</li> <li>• Elegant rectangular railing for screw fitting</li> <li>• Tilt angle adjustment via railing</li> </ul>   |   | 364  |
|  | <b>Crystal pot drawer for slide-in element height 96 mm</b> <ul style="list-style-type: none"> <li>• No need to machine the slide-in elements</li> <li>• High degree of stability even without front and slide-in element</li> <li>• Integrated height, side and tilt angle adjustment</li> </ul>                                |  | 366  |
|  | <b>F8 inset panel for inset drawer H90</b> <ul style="list-style-type: none"> <li>• F8 inset panel height 95 mm</li> <li>• For standard drawer H90</li> <li>• Colour-coordinated front panel profile made of aluminium</li> </ul>  |  | 368  |
|  | <b>F8 inset panel for inset drawer H90 with round railing</b> <ul style="list-style-type: none"> <li>• F8 inset panel height 197 mm</li> <li>• For standard drawer H90 with railing</li> <li>• Colour-coordinated front panel profile made of aluminium</li> </ul>   |  | 370  |
|  | <b>F8 inset panel for inset drawer H90 with rectangular railing</b> <ul style="list-style-type: none"> <li>• F8 inset panel height 197 mm</li> <li>• For standard drawer H90 with railing</li> <li>• Colour-coordinated front panel profile made of aluminium</li> </ul>   |  | 372  |
|  | <b>F8 inset panel for Crystal inset drawer H90</b> <ul style="list-style-type: none"> <li>• F8 inset panel height 197 mm</li> <li>• For Crystal drawer with slide-in elements</li> <li>• Colour-coordinated front panel profile made of aluminium</li> </ul>   |  | 374  |
|  | <b>Inset panel for inset drawer H90</b> <ul style="list-style-type: none"> <li>• Inset panel and clip colour-coordinated with drawer sides</li> <li>• Same dimensions as standard drawers (inside depth)</li> <li>• Easy mounting of the clips onto the front panel profile</li> </ul>   |  | 376  |
|  | <b>Inset panel for inset drawer H90 with round railing on 3 sides</b> <ul style="list-style-type: none"> <li>• Inset panel and clip colour-coordinated with drawer sides</li> <li>• Same dimensions as standard drawers (inside depth)</li> <li>• Easy mounting of the clips onto the front panel profile and railing</li> </ul> |  | 378  |

|   | Product description  |   | Page |
|---|--|---|------|
|    | <b>Inset panel for inset drawer H90 with rectangular railing on 3 sides</b> <ul style="list-style-type: none"> <li>• Inset panel and clip colour-coordinated with drawer sides</li> <li>• Same dimensions as standard drawers (inside depth)</li> <li>• Easy mounting of the clips onto the front panel profile and railing</li> </ul> |    | 380  |
|    | <b>Inset panel for inset drawer H90</b> <ul style="list-style-type: none"> <li>• Inset panel and clip colour-coordinated with drawer sides</li> <li>• Same dimensions as standard drawers (inside depth)</li> <li>• Easy mounting of the clips onto the front panel profile</li> </ul>   |    | 382  |
|   | <b>Inset panel for Crystal inset drawer H90 with cross railing</b> <ul style="list-style-type: none"> <li>• Inset panel and clip colour-coordinated with drawer sides</li> <li>• Same dimensions as standard drawers (inside depth)</li> <li>• Easy mounting of the clips onto the front panel profile and railing</li> </ul>          |   | 384  |
|  | <b>Inset panel for Crystal inset drawer H90</b> <ul style="list-style-type: none"> <li>• Inset panel and clip colour-coordinated with drawer sides</li> <li>• Same dimensions as standard drawers (inside depth)</li> <li>• Easy mounting of the clips onto the front panel profile and slide-in element</li> </ul>                    |  | 386  |
|  | <b>Nova Pro full extension slide 40/70 kg Soft-close S16/S19</b> <ul style="list-style-type: none"> <li>• Installation width 29 mm</li> <li>• Use with S16 and S19</li> <li>• Excellent running characteristics</li> <li>• Fully synchronised slide technology</li> </ul>  |  | 388  |
|  | <b>Nova Pro full extension slide 40/70 kg Soft-close S18</b> <ul style="list-style-type: none"> <li>• Installation width 30 mm</li> <li>• Use with S18</li> <li>• Excellent running characteristics</li> <li>• Fully synchronised slide technology</li> </ul>  |  | 390  |
|  | <b>Nova Pro full extension slide 40/70 kg Tipmatic Soft-close S16/S19</b> <ul style="list-style-type: none"> <li>• Mechanical opening system</li> <li>• Combines Tipmatic function with Soft-close damper</li> <li>• Installation width 29 mm</li> <li>• Use with S16 and S19</li> </ul>   |  | 392  |
|  | <b>Nova Pro full extension slide 40/70 kg Tipmatic Soft-close S18</b> <ul style="list-style-type: none"> <li>• Mechanical opening system</li> <li>• Combines Tipmatic function with Soft-close damper</li> <li>• Installation width 30 mm</li> <li>• Use with S18</li> </ul>   |  | 394  |

|  |  |     |
|--|--|-----|
|  | <b>Accessories</b>                     | 396 |
|  | <b>Technical information</b>           | 400 |
|  | <b>Dividing and organising systems</b> | 577 |
|  | <b>Assembly technology</b>             | 637 |
|  | <b>Assembly aids</b>                   | 658 |

# NOVA PRO DELUXE

## Drawer H90





- Practical standard drawer H90 for every application
- Suitable for all railing systems
- Integrated height and side adjustment
- Straight inside surfaces and narrow installation width ensure optimal utilisation of space
- Sturdy construction and high degree of stability
- Tool-free fitting and removal of the front
- Same bottom panel and back panel width
- No need to machine the bottom panel


**Note:**


- Front-bottom connector recommended for KB 800 mm and above (see page 398)

### ORDER INFORMATION

| <b>1 Nova Pro Deluxe drawer sides H90</b> |                   | Set: one left, one right |                   |  |  |
|---|-------------------|--------------------------|-------------------|---|--|
| NL  | Metallic          |                          | Pure White        |   |  |
|   | Art. No.          |                          | Art. No.          |   |  |
| 270                                       | <b>F100065000</b> |                          | <b>F100065027</b> |   |  |
| 300                                       | <b>F100065003</b> |                          | <b>F100065030</b> |   |  |
| 350                                       | <b>F100065006</b> |                          | <b>F100065033</b> |   |  |
| 400                                       | <b>F100065009</b> |                          | <b>F100065036</b> |   |  |
| 450                                       | <b>F100065012</b> |                          | <b>F100065039</b> |   |  |
| 500                                       | <b>F100065015</b> |                          | <b>F100065042</b> |   |  |
| 550                                       | <b>F100065018</b> |                          | <b>F100065045</b> |   |  |
| 600                                       | <b>F100065021</b> |                          | <b>F100065048</b> |   |  |
| 650                                       | <b>F100065024</b> |                          | <b>F100076500</b> |   |  |

| <b>2 Installation hook</b> |                   | Single item: can be used on left/right |  |  |  |
|----------------------------|-------------------|--|--|---|--|
|                            | Description       | Art. No.                               |  |   |  |
| 32 mm                      | Expansion dowel   | <b>F102117719</b>                      |  |   |  |
| 50 mm                      | Expansion dowel   | <b>F102117720</b>                      |  |   |  |
| 32 mm                      | For press fitting | <b>F102021854</b>                      |  |   |  |
| 50 mm                      | For press fitting | <b>F102021153</b>                      |  |   |  |
|                            | For screw fitting | <b>F102021855</b>                      |  |   |  |

|  |  |   |  |
|--|--|---|--|
| <b>Nova Pro slides from page 388 onwards</b> |  |  |  |
|--|--|---|--|



### PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres

| Front panel installation dimensions   | Back panel installation dimensions | Cutting dimensions for 16 mm chipboard |       |   |       |    |    |    |    |  |   |      |      |  |
|---|------------------------------------|--|-------|---|-------|----|----|----|----|--|---|------|------|--|
|   |                                    |  |       |   |       |    |    |    |    |  |   |      |      |  |
| <table border="1"> <thead> <tr> <th>Slide</th> <th>S</th> <th>16/19</th> <th>18</th> </tr> </thead> <tbody> <tr> <td>EB</td> <td>29</td> <td>30</td> <td></td> </tr> <tr> <td>A</td> <td>21.5</td> <td>22.5</td> <td></td> </tr> </tbody> </table> <p><b>Note:</b> Slide available in two versions: S16/S19 and S18. See the chapter on slides (from page 388 onwards).</p> |                                    |  | Slide | S | 16/19 | 18 | EB | 29 | 30 |  | A | 21.5 | 22.5 |  |
| Slide   | S                                  | 16/19                                  | 18    |   |       |    |    |    |    |  |   |      |      |  |
| EB  | 29                                 | 30                                     |       |   |       |    |    |    |    |  |   |      |      |  |
| A   | 21.5                               | 22.5                                   |       |   |       |    |    |    |    |  |   |      |      |  |
| <p>* Recommendation/minimum dimension: 49.5 mm/Tipmatic Soft-close: 58 mm</p>   |                                    |  |       |   |       |    |    |    |    |  |   |      |      |  |


Mounting positions for full extension slide

**40 kg**      **70 kg**

Formula:  $MET = NL + 3$


**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>FST</b> | Front overlay              | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>KV</b>  | Cabinet front edge         | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>FAS</b> | Front overlay, side | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |



# NOVA PRO DELUXE

Pot drawer H90 with round railing




- Practical standard drawer H90 for every application
- Round railing for screw fitting
- Tilt angle adjustment via railing
- Integrated height and side adjustment
- Straight inside surfaces and narrow installation width ensure optimal utilisation of space
- Sturdy construction and high degree of stability
- Tool-free fitting and removal of the front
- Same bottom panel and back panel width
- No need to machine the bottom panel

**Note:**

- Front-bottom connector recommended for KB 800 mm and above (see page 398)

## ORDER INFORMATION

| 1 Nova Pro Deluxe drawer sides H90<br>Set: one left, one right |            |  |            |  |  |
|--|------------|--|------------|--|--|
| NL   | Metallic   |  | Pure White |  |  |
|  | Art. No.   |  | Art. No.   |  |  |
| 270  | F100065000 |  | F100065027 |  |  |
| 300  | F100065003 |  | F100065030 |  |  |
| 350  | F100065006 |  | F100065033 |  |  |
| 400  | F100065009 |  | F100065036 |  |  |
| 450  | F100065012 |  | F100065039 |  |  |
| 500  | F100065015 |  | F100065042 |  |  |
| 550  | F100065018 |  | F100065045 |  |  |
| 600  | F100065021 |  | F100065048 |  |  |
| 650  | F100065024 |  | F100076500 |  |  |





| 2 Round railing, screw fitting, wooden back panel<br>Set: railing, railing holder (front/rear) and cover cap, one left, one right |            |  |            |  |  |
|---|------------|--|------------|--|--|
| NL  | Metallic   |  | Pure White |  |  |
|   | Art. No.   |  | Art. No.   |  |  |
| 270   | F102048537 |  | F102100675 |  |  |
| 300   | F102045969 |  | F102045962 |  |  |
| 350   | F102045970 |  | F102045963 |  |  |
| 400   | F102045971 |  | F102045964 |  |  |
| 450   | F102045972 |  | F102045965 |  |  |
| 500   | F102045973 |  | F102045966 |  |  |
| 550   | F102045974 |  | F102045967 |  |  |
| 600   | F102045975 |  | F102045968 |  |  |
| 650   | F102068000 |  | -          |  |  |



| 3 Installation hook<br>Single item: can be used on left/right |                   |            |  |  |  |
|---|-------------------|------------|--|--|--|
|   | Description       | Art. No.   |  |  |  |
| 32 mm   | Expansion dowel   | F102117719 |  |  |  |
| 50 mm   | Expansion dowel   | F102117720 |  |  |  |
| 32 mm   | For press fitting | F102021854 |  |  |  |
| 50 mm   | For press fitting | F102021153 |  |  |  |
|   | For screw fitting | F102021855 |  |  |  |



Nova Pro slides from page 388 onwards



## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres

| Front panel installation dimensions  | Back panel installation dimensions | Cutting dimensions for 16 mm chipboard |       |  |  |   |       |    |    |    |    |   |      |      |
|--|------------------------------------|--|-------|--|--|---|-------|----|----|----|----|---|------|------|
|  |                                    |  |       |  |  |   |       |    |    |    |    |   |      |      |
| <table border="1"> <thead> <tr> <th colspan="3">Slide</th> </tr> </thead> <tbody> <tr> <td>S</td> <td>16/19</td> <td>18</td> </tr> <tr> <td>EB</td> <td>29</td> <td>30</td> </tr> <tr> <td>A</td> <td>21.5</td> <td>22.5</td> </tr> </tbody> </table> <p><b>Note:</b> Slide available in two versions: S16/S19 and S18. See the chapter on slides (from page 388 onwards).</p> |                                    |  | Slide |  |  | S | 16/19 | 18 | EB | 29 | 30 | A | 21.5 | 22.5 |
| Slide  |                                    |  |       |  |  |   |       |    |    |    |    |   |      |      |
| S  | 16/19                              | 18                                     |       |  |  |   |       |    |    |    |    |   |      |      |
| EB   | 29                                 | 30                                     |       |  |  |   |       |    |    |    |    |   |      |      |
| A  | 21.5                               | 22.5                                   |       |  |  |   |       |    |    |    |    |   |      |      |
| <p>* Recommendation/minimum dimension: 49.5 mm/Tipmatic Soft-close: 58 mm</p>  |                                    |  |       |  |  |   |       |    |    |    |    |   |      |      |

**Mounting positions for full extension slide**

**40 kg**      **70 kg**

**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>FST</b> | Front overlay              | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>KV</b>  | Cabinet front edge         | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>FAS</b> | Front overlay, side | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |

1

2

3

4

5


6

7

8

# NOVA PRO DELUXE

## Pot drawer H90 with rectangular railing




- Practical standard drawer H90 for every application
- Elegant rectangular railing for screw fitting
- Tilt angle adjustment via railing
- Integrated height and side adjustment
- Straight inside surfaces and narrow installation width ensure optimal utilisation of space
- Sturdy construction and high degree of stability
- Tool-free fitting and removal of the front
- Same bottom panel and back panel width
- No need to machine the bottom panel

### Note:

- Front-bottom connector recommended for KB 800 mm and above (see page 398)

## ORDER INFORMATION

| 1 Nova Pro Deluxe drawer sides H90<br>Set: one left, one right |            |  |            |  |  |
|--|------------|--|------------|--|--|
| NL   | Metallic   |  | Pure White |  |  |
|  | Art. No.   |  | Art. No.   |  |  |
| 270  | F100065000 |  | F100065027 |  |  |
| 300  | F100065003 |  | F100065030 |  |  |
| 350  | F100065006 |  | F100065033 |  |  |
| 400  | F100065009 |  | F100065036 |  |  |
| 450  | F100065012 |  | F100065039 |  |  |
| 500  | F100065015 |  | F100065042 |  |  |
| 550  | F100065018 |  | F100065045 |  |  |
| 600  | F100065021 |  | F100065048 |  |  |
| 650  | F100065024 |  | F100076500 |  |  |





| 2 Rectangular railing for screw fitting for wooden back panel<br>Set: railing, railing holder (front/rear) and cover cap, one left, one right |            |  |            |  |  |
|---|------------|--|------------|--|--|
| NL  | Metallic   |  | Pure White |  |  |
|   | Art. No.   |  | Art. No.   |  |  |
| 270   | F102100674 |  | F102100675 |  |  |
| 300   | F102045858 |  | F102045851 |  |  |
| 350   | F102045859 |  | F102045852 |  |  |
| 400   | F102045860 |  | F102045853 |  |  |
| 450   | F102045861 |  | F102045854 |  |  |
| 500   | F102045862 |  | F102045855 |  |  |
| 550   | F102045863 |  | F102045856 |  |  |
| 600   | F102045864 |  | F102045857 |  |  |
| 650   | F102066918 |  | F102077443 |  |  |



| 3 Installation hook<br>Single item: can be used on left/right |                   |            |  |  |  |
|---|-------------------|------------|--|--|--|
|   | Description       | Art. No.   |  |  |  |
| 32 mm   | Expansion dowel   | F102117719 |  |  |  |
| 50 mm   | Expansion dowel   | F102117720 |  |  |  |
| 32 mm   | For press fitting | F102021854 |  |  |  |
| 50 mm   | For press fitting | F102021153 |  |  |  |
|   | For screw fitting | F102021855 |  |  |  |

| Nova Pro slides from page 388 onwards |  |  |  |  |  |
|---------------------------------------|--|--|--|--|--|
|                                       |  |  |  |  |  |



## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres

| Front panel installation dimensions  | Back panel installation dimensions  | Cutting dimensions for 16 mm chipboard   |                               |  |   |         |    |    |    |    |   |      |      |   |
|--|---|--|-------------------------------|--|---|---------|----|----|----|----|---|------|------|---|
| <p>Diagram showing front panel installation dimensions. Key dimensions include: min. 116 (total height), 52* (height to top of rail), 42.5 (height to middle of rail), (9.5) (height to bottom of rail), 16 (rail offset), 152 (height to top of drawer body), 20 (height to top of front overlay), 72 (height to middle of front overlay), 32 (height to bottom of front overlay), 40.5 (height to bottom of rail), 50 (height to bottom of drawer body), 152 (height to top of back panel), 73 (height to middle of back panel), 55 (height to bottom of back panel), 10 (width to center of top hole), 16 (width to center of bottom hole), Ø 3.5 x 15 (top hole), Ø 10 x 13 (bottom hole), Ø 3.5 x 15 (middle hole), Ø 10 x 12 (middle hole), LWK (inside cabinet width), RWB = BB (back panel width), BB = LWK - 2 x EB (bottom panel width), FAS (front overlay side), A (front overlay depth), S (slide offset), EB (slide extension), FST (front overlay).</p> | <p>Diagram showing back panel installation dimensions. Key dimensions include: 10 (width to center of top hole), 16 (width to center of bottom hole), Ø 3.5 x 15 (top hole), Ø 10 x 13 (bottom hole), 64 (height to top of middle hole), 152 (height to top of back panel), 73 (height to middle of back panel), 55 (height to bottom of back panel).</p>   | <p>Diagram showing cutting dimensions for 16 mm chipboard. Key dimensions include: RWB = BB (back panel width), RW (back panel width), 152 (back panel height), RWH (back panel height), B (bottom panel), BL = NL - 19 (bottom panel length), BB = LWK - 2 x EB (bottom panel width).</p> |                               |  |   |         |    |    |    |    |   |      |      |   |
|  | <table border="1"> <thead> <tr> <th>Slide</th> <th colspan="2">Railing tilt angle adjustment</th> </tr> </thead> <tbody> <tr> <td>S</td> <td>16 / 19</td> <td>18</td> </tr> <tr> <td>EB</td> <td>29</td> <td>30</td> </tr> <tr> <td>A</td> <td>21.5</td> <td>22.5</td> </tr> </tbody> </table> <p><b>Note:</b> Slide available in two versions: S16/S19 and S18. See the chapter on slides (from page 388 onwards).</p> | Slide  | Railing tilt angle adjustment |  | S | 16 / 19 | 18 | EB | 29 | 30 | A | 21.5 | 22.5 | <p>Diagram showing railing tilt angle adjustment.</p> |
| Slide  | Railing tilt angle adjustment   |  |                               |  |   |         |    |    |    |    |   |      |      |   |
| S  | 16 / 19   | 18   |                               |  |   |         |    |    |    |    |   |      |      |   |
| EB   | 29  | 30   |                               |  |   |         |    |    |    |    |   |      |      |   |
| A  | 21.5  | 22.5   |                               |  |   |         |    |    |    |    |   |      |      |   |
| <p>* Recommendation/minimum dimension: 49.5 mm/Tipmatic Soft-close: 58 mm</p>  |   |  |                               |  |   |         |    |    |    |    |   |      |      |   |

**Mounting positions for full extension slide**

Diagram showing mounting positions for full extension slide. Key dimensions include: KV (cabinet front edge), 28 (height to top of rail), 37 (height to middle of rail), 270, 300, 350, 400, 450, 500, 550, 600, 650, 9.5 (height to bottom of rail), MET = NL + 3 (minimum installation depth), 40 kg (weight), 70 kg (weight), 320, 288, 256, 224, 192, 160, 32, 0, 384, 352, 320, 288, 32, 0, 28, 37, Euro screw Ø 6 x 13 mm.

**LEGEND**

|     |                     |     |                            |     |                   |
|-----|---------------------|-----|----------------------------|-----|-------------------|
| B   | Bottom panel        | FST | Front overlay              | NL  | Nominal length    |
| BB  | Bottom panel width  | KV  | Cabinet front edge         | RW  | Back panel        |
| BL  | Bottom panel length | LWK | Inside cabinet width       | RWB | Back panel width  |
| FAS | Front overlay, side | MET | Minimum installation depth | RWH | Back panel height |

1  
2  
3  
4  
5  
6  
7  
8



# NOVA PRO DELUXE CRYSTAL

Pot drawer for slide-in element height 96 mm




- No need to machine the slide-in elements
- High degree of stability even without front and slide-in element
- Integrated height, side and tilt angle adjustment
- Straight inside surfaces and narrow installation width ensure optimal utilisation of space
- Tool-free fitting and removal of the front
- Same bottom panel and back panel width
- No need to machine the bottom panel

### Notes:

- Slide-in elements not included in the scope of delivery
- Front-bottom connector recommended for KB 800 mm and above (see page 398)

## ORDER INFORMATION


| 1 Nova Pro Deluxe Crystal drawer sides H90<br>Set: one left, one right |            |  |            |  |
|--|------------|--|------------|--|
|  | Metallic   |  | Pure White |  |
| NL   | Art. No.   |  | Art. No.   |  |
| 300  | F100068855 |  | F100076518 |  |
| 350  | F100070981 |  | F100076521 |  |
| 400  | F100068858 |  | F100076524 |  |
| 450  | F100068861 |  | F100071850 |  |
| 500  | F100068864 |  | F100076527 |  |
| 550  | F100070984 |  | F100076530 |  |
| 600  | F100068867 |  | F100071853 |  |
| 650  | F100068870 |  | F100076533 |  |




| 5 Glass holder for wooden back panel, screw fitting<br>Set: one left, one right |            |  |            |  |
|---|------------|--|------------|--|
|   | Metallic   |  | Pure White |  |
|   | Art. No.   |  | Art. No.   |  |
|   | F102068877 |  | F102076539 |  |



Nova Pro slides from page 388 onwards




| 2 Nova Pro Deluxe Crystal fixing for wooden back panel, screw fitting<br>Set: installation hook, glass holder (front/rear) and cover cap, one left, one right |            |  |            |  |
|---|------------|--|------------|--|
|   | Metallic   |  | Pure White |  |
|   | Art. No.   |  | Art. No.   |  |
|   | F102071066 |  | F102076538 |  |



| 3 Installation hook<br>Single item: can be used on left/right |                   |            |  |  |
|---|-------------------|------------|--|--|
|   | Description       | Art. No.   |  |  |
|   | Expansion dowel   | F102117723 |  |  |
|   | For press fitting | F102062582 |  |  |
|   | For screw fitting | F102062651 |  |  |



| 4 Glass holder (front) for clip-on fitting<br>Set: one left, one right |            |  |            |  |
|--|------------|--|------------|--|
|  | Metallic   |  | Pure White |  |
|  | Art. No.   |  | Art. No.   |  |
|  | F102068288 |  | F102076536 |  |





## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres




**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>FST</b> | Front overlay              | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>KV</b>  | Cabinet front edge         | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>FAS</b> | Front overlay, side | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |



# NOVA PRO DELUXE

## F8 inset panel for inset drawer H90



- F8 inset panel height 95 mm
- For standard drawer H90
- Colour-coordinated front panel profile made of aluminium
- Smooth inner and outer sides provide a high-quality look
- Same dimensions as standard drawers (inside depth)
- Tool-free fitting and removal of the inset panel
- Front panel profile for cutting to length

### ORDER INFORMATION

|  |  |  |  |
|--|--|--|--|
| <b>1</b> F8 inset panel for inset drawer H90<br>Single item: for cutting to length |  |  |  |
|--|--|--|--|

| L    | Metallic          |  | Pure White        |  |
|------|-------------------|--|-------------------|--|
|      | Art. No.          |  | Art. No.          |  |
| 1160 | <b>F102101370</b> |  | <b>F102101369</b> |  |

|   |  |  |  |
|---|--|--|--|
| <b>2</b> Cover cap for F8 inset panel<br>Single item: can be used on left/right |  |  |  |
|---|--|--|--|

|  | Metallic          |  | Pure White        |  |
|--|-------------------|--|-------------------|--|
|  | Art. No.          |  | Art. No.          |  |
|  | <b>F102101383</b> |  | <b>F102101382</b> |  |

|  |  |  |  |
|--|--|--|--|
| <b>3</b> Installation hook<br>Single item: incl. screws, can be used on left/right |  |  |  |
|--|--|--|--|


|  | Description       | Art. No.          |  |
|--|-------------------|-------------------|--|
|  | For screw fitting | <b>F102101584</b> |  |

|   |  |  |  |
|---|--|--|--|
| <b>4</b> Front-bottom connector (optional)<br>Single item |  |  |  |
|---|--|--|--|

|  | Description                         | Art. No.          |  |
|--|-------------------------------------|-------------------|--|
|  | Recommended for KB 600 mm and above | <b>F145117993</b> |  |

|  |  |  |  |
|--|--|--|--|
| <b>5</b> Nova Pro Deluxe drawer sides H90 see page 360 |  |  |  |
|--|--|--|--|

|                                       |  |  |  |
|---------------------------------------|--|--|--|
| Nova Pro slides from page 388 onwards |  |  |  |
|---------------------------------------|--|--|--|



### PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres

| Front panel installation dimensions   | Back panel installation dimensions  | Cutting dimensions for 16 mm chipboard |    |         |    |    |    |    |  |   |      |      |  |   |
|---|---|--|----|---------|----|----|----|----|--|---|------|------|--|---|
|   |   |  |    |         |    |    |    |    |  |   |      |      |  |   |
|   | <table border="1"> <thead> <tr> <th>Slide</th> <th>S</th> <th>16 / 19</th> <th>18</th> </tr> </thead> <tbody> <tr> <td>EB</td> <td>29</td> <td>30</td> <td></td> </tr> <tr> <td>A</td> <td>21.5</td> <td>22.5</td> <td></td> </tr> </tbody> </table> <p><b>Note:</b> Slide available in two versions: S16/S19 and S18. See the chapter on slides (from page 388 onwards).</p> | Slide                                  | S  | 16 / 19 | 18 | EB | 29 | 30 |  | A | 21.5 | 22.5 |  | <p>Cutting dimensions for front panel profile</p> |
| Slide   | S   | 16 / 19                                | 18 |         |    |    |    |    |  |   |      |      |  |   |
| EB  | 29  | 30                                     |    |         |    |    |    |    |  |   |      |      |  |   |
| A   | 21.5  | 22.5                                   |    |         |    |    |    |    |  |   |      |      |  |   |
| <p>* Recommendation/minimum dimension: 49.5 mm/Tipmatic Soft-close: 58 mm</p> |   |  |    |         |    |    |    |    |  |   |      |      |  |   |

**Mounting positions for full extension slide**


**40 kg**      **70 kg**

**Legend:**

- B Bottom panel
- BB Bottom panel width
- BL Bottom panel length
- IBB Inset panel width
- KV Cabinet front edge
- L Length
- LWK Inside cabinet width
- MET Minimum installation depth
- NL Nominal length
- RW Back panel
- RWB Back panel width
- RWH Back panel height


**LEGEND**

|     |                     |     |                            |     |                   |
|-----|---------------------|-----|----------------------------|-----|-------------------|
| B   | Bottom panel        | KV  | Cabinet front edge         | NL  | Nominal length    |
| BB  | Bottom panel width  | L   | Length                     | RW  | Back panel        |
| BL  | Bottom panel length | LWK | Inside cabinet width       | RWB | Back panel width  |
| IBB | Inset panel width   | MET | Minimum installation depth | RWH | Back panel height |



# NOVA PRO DELUXE

F8 inset panel for inset drawer H90 with round railing



- F8 inset panel height 197 mm
- For standard drawer H90 with railing
- Colour-coordinated front panel profile made of aluminium
- Smooth inner and outer sides provide a high-quality look
- Same dimensions as standard drawers (inside depth)
- Tool-free fitting and removal of the inset panel
- Front panel profile for cutting to length
- Round railing for screw fitting

## ORDER INFORMATION

|          |  |   |  |                                    |  |  |
|----------|--|---|--|------------------------------------|--|--|
| <b>1</b> |  | <b>F8 inset panel for inset drawer H90 with round railing</b> |  | Single item: for cutting to length |  |  |
|          |  | Metallic  |  | Pure White                         |  |  |
| L        |  | Art. No.  |  | Art. No.                           |  |  |
| 1160     |  | F102101378  |  | F102101377                         |  |  |

|          |  |                                     |  |  |  |  |
|----------|--|-------------------------------------|--|--|--|--|
| <b>2</b> |  | <b>Cover cap for F8 inset panel</b> |  | Single item: can be used on left/right |  |  |
|          |  | Metallic                            |  | Pure White                             |  |  |
|          |  | Art. No.                            |  | Art. No.                               |  |  |
|          |  | F102101450                          |  | F102101449                             |  |  |

|          |  |                          |  |  |  |  |
|----------|--|--------------------------|--|--|--|--|
| <b>3</b> |  | <b>Installation hook</b> |  | Single item: incl. screws, can be used on left/right |  |  |
|          |  | Description              |  | Art. No.   |  |  |
|          |  | For screw fitting        |  | F102101584   |  |  |


|          |  |  |  |  |  |  |
|----------|--|--|--|--|--|--|
| <b>4</b> |  | <b>Round railing, screw fitting, wooden back panel</b> |  | Set: railing, railing holder (rear) and cover cap, one left, one right |  |  |
| NL       |  | Metallic   |  | Pure White   |  |  |
|          |  | Art. No.   |  | Art. No.   |  |  |
| 270      |  | F102048537   |  | F102100675   |  |  |
| 300      |  | F102045969   |  | F102045962   |  |  |
| 350      |  | F102045970   |  | F102045963   |  |  |
| 400      |  | F102045971   |  | F102045964   |  |  |
| 450      |  | F102045972   |  | F102045965   |  |  |
| 500      |  | F102045973   |  | F102045966   |  |  |
| 550      |  | F102045974   |  | F102045967   |  |  |
| 600      |  | F102045975   |  | F102045968   |  |  |
| 650      |  | F102068000   |  | -  |  |  |

|          |  |                       |  |   |  |  |
|----------|--|-----------------------|--|---|--|--|
| <b>5</b> |  | <b>Railing holder</b> |  | Single item: incl. screw, can be used on left/right |  |  |
|          |  | Description           |  | Art. No.  |  |  |
|          |  | For screw fitting     |  | F102101586  |  |  |

|          |  |  |  |             |  |  |
|----------|--|--|--|-------------|--|--|
| <b>6</b> |  | <b>Front-bottom connector (optional)</b> |  | Single item |  |  |
|          |  | Description                              |  | Art. No.    |  |  |
|          |  | Recommended for KB 600 mm and above      |  | F145117993  |  |  |

|          |  |  |  |  |
|----------|--|--|--|--|
| <b>7</b> |  | <b>Nova Pro Deluxe drawer sides H90 see page 360</b> |  |  |
|----------|--|--|--|--|

|  |  |  |
|--|--|--|
| <b>Nova Pro slides from page 388 onwards</b> |  |  |
|--|--|--|





## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres




**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>KV</b>  | Cabinet front edge         | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>L</b>   | Length                     | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>IBB</b> | Inset panel width   | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |



# NOVA PRO DELUXE

F8 inset panel for inset drawer H90 with rectangular railing



- F8 inset panel height 197 mm
- For standard drawer H90 with railing
- Colour-coordinated front panel profile made of aluminium
- Smooth inner and outer sides provide a high-quality look
- Same dimensions as standard drawers (inside depth)
- Tool-free fitting and removal of the inset panel
- Front panel profile for cutting to length
- Rectangular railing for screw fitting

## ORDER INFORMATION

|   |            |  |            |
|---|------------|--|------------|
| <b>1 F8 inset panel for inset drawer H90 with round railing</b><br>Single item: for cutting to length |            |  |            |
| L   | Metallic   |  | Pure White |
|   | Art. No.   |  | Art. No.   |
| 1160  | F102101378 |  | F102101377 |

|   |            |  |            |
|---|------------|--|------------|
| <b>2 Cover cap for F8 inset panel</b><br>Single item: can be used on left/right |            |  |            |
|   | Metallic   |  | Pure White |
|   | Art. No.   |  | Art. No.   |
|   | F102101450 |  | F102101449 |

|  |  |            |  |
|--|--|------------|--|
| <b>3 Installation hook</b><br>Single item: incl. screws, can be used on left/right |  |            |  |
| Description  |  | Art. No.   |  |
| For screw fitting  |  | F102101584 |  |


|  |            |  |            |
|--|------------|--|------------|
| <b>4 Rectangular railing for screw fitting</b><br>Set: railing, railing holder (rear) and cover cap, one left, one right |            |  |            |
| NL   | Metallic   |  | Pure White |
|  | Art. No.   |  | Art. No.   |
| 270  | F102100674 |  | F102100675 |
| 300  | F102045858 |  | F102045851 |
| 350  | F102045859 |  | F102045852 |
| 400  | F102045860 |  | F102045853 |
| 450  | F102045861 |  | F102045854 |
| 500  | F102045862 |  | F102045855 |
| 550  | F102045863 |  | F102045856 |
| 600  | F102045864 |  | F102045857 |
| 650  | F102066918 |  | F102077443 |

|   |  |            |  |
|---|--|------------|--|
| <b>5 Railing holder</b><br>Single item: incl. screws, can be used on left/right |  |            |  |
| Description   |  | Art. No.   |  |
| For screw fitting   |  | F102101587 |  |

|   |  |            |  |
|---|--|------------|--|
| <b>6 Front-bottom connector (optional)</b><br>Single item |  |            |  |
| Description   |  | Art. No.   |  |
| Recommended for KB 600 mm and above                       |  | F145117993 |  |

|  |  |  |  |
|--|--|--|--|
| <b>7 Nova Pro Deluxe drawer sides H90 see page 360</b> |  |  |  |
|--|--|--|--|

|                                       |  |  |  |
|---------------------------------------|--|--|--|
| Nova Pro slides from page 388 onwards |  |  |  |
|---------------------------------------|--|--|--|





## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres



**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>KV</b>  | Cabinet front edge         | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>L</b>   | Length                     | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>IBB</b> | Inset panel width   | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |





# NOVA PRO DELUXE CRYSTAL

F8 inset panel for Crystal inset drawer H90 with slide-in element



- F8 inset panel height 197 mm
- For Crystal drawer with slide-in elements height 96 mm
- Colour-coordinated front panel profile made of aluminium
- Smooth inner and outer sides provide a high-quality look
- Same dimensions as standard drawers (inside depth)
- Tool-free fitting and removal of the inset panel
- Front panel profile for cutting to length

**Note:**

- Slide-in elements not included in the scope of delivery

## ORDER INFORMATION

|  |  |            |  |            |  |
|--|--|------------|--|------------|--|
| <b>1</b> F8 inset panel for Crystal inset drawer H90<br>Single item: for cutting to length |  |            |  |            |  |
| L  |  | Metallic   |  | Pure White |  |
|  |  | Art. No.   |  | Art. No.   |  |
| 1160   |  | F102101378 |  | F102101377 |  |

|   |  |            |  |            |  |
|---|--|------------|--|------------|--|
| <b>2</b> Cover cap for F8 inset panel<br>Single item: can be used on left/right |  |            |  |            |  |
|   |  | Metallic   |  | Pure White |  |
|   |  | Art. No.   |  | Art. No.   |  |
|   |  | F102101450 |  | F102101449 |  |


|  |  |                   |  |            |  |
|--|--|-------------------|--|------------|--|
| <b>3</b> Installation hook<br>Single item: incl. screws, can be used on left/right |  |                   |  |            |  |
|  |  | Description       |  | Art. No.   |  |
|  |  | For screw fitting |  | F102101585 |  |

|   |  |            |  |            |  |
|---|--|------------|--|------------|--|
| <b>4</b> Glass holder (front) for clip-on fitting<br>Set: one left, one right |  |            |  |            |  |
|   |  | Metallic   |  | Pure White |  |
|   |  | Art. No.   |  | Art. No.   |  |
|   |  | F102068288 |  | F102076536 |  |

|  |  |            |  |            |  |
|--|--|------------|--|------------|--|
| <b>5</b> Glass holder for wooden back panel, screw fitting<br>Set: one left, one right |  |            |  |            |  |
|  |  | Metallic   |  | Pure White |  |
|  |  | Art. No.   |  | Art. No.   |  |
|  |  | F102068877 |  | F102076539 |  |

|   |  |                                     |  |            |  |
|---|--|-------------------------------------|--|------------|--|
| <b>6</b> Front-bottom connector (optional)<br>Single item |  |                                     |  |            |  |
|   |  | Description                         |  | Art. No.   |  |
|   |  | Recommended for KB 600 mm and above |  | F145117993 |  |

|  |  |  |  |
|--|--|--|--|
| <b>7</b> Nova Pro Deluxe Crystal drawer sides H90 see page 366 |  |  |  |
| Nova Pro slides from page 388 onwards                          |  |  |  |





## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres




**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>KV</b>  | Cabinet front edge         | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>L</b>   | Length                     | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>IBB</b> | Inset panel width   | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |




# NOVA PRO DELUXE

Inset panel for inset drawer H90




- Inset panel and clip colour-coordinated with drawer sides
- Same dimensions as standard drawers (inside depth)
- Easy mounting of the clips onto the front panel profile
- Tool-free fitting and removal of the inset panel
- Front panel profile for cutting to length


## ORDER INFORMATION

|   |            |   |            |
|---|------------|---|------------|
| <b>1</b> Inset panel for inset drawer H90<br>Single item: for cutting to length |            |  |            |
| L   | Metallic   |   | Pure White |
|   | Art. No.   |   | Art. No.   |
| 1083  | F102051147 |   | F102051135 |


  


|   |            |  |            |
|---|------------|--|------------|
| <b>2</b> Clip for inset panel<br>Set: one left, one right |            |  |            |
|   | Metallic   |  | Pure White |
|   | Art. No.   |  | Art. No.   |
|   | F102066500 |  | F102077073 |

|  |  |   |  |
|--|--|---|--|
| <b>3</b> Nova Pro Deluxe drawer sides H90 see page 360 |  |  |  |
|--|--|---|--|

|                                       |  |   |  |
|---------------------------------------|--|---|--|
| Nova Pro slides from page 388 onwards |  |  |  |
|---------------------------------------|--|---|--|



## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres


| Front panel installation dimensions   | Back panel installation dimensions  | Cutting dimensions for 16 mm chipboard |    |       |    |    |    |    |  |   |      |      |  |  |
|---|---|--|----|-------|----|----|----|----|--|---|------|------|--|--|
|   |   |  |    |       |    |    |    |    |  |   |      |      |  |  |
|   | <table border="1"> <thead> <tr> <th>Slide</th> <th>S</th> <th>16/19</th> <th>18</th> </tr> </thead> <tbody> <tr> <td>EB</td> <td>29</td> <td>30</td> <td></td> </tr> <tr> <td>A</td> <td>21.5</td> <td>22.5</td> <td></td> </tr> </tbody> </table> <p><b>Note:</b> Slide available in two versions: S16/S19 and S18. See the chapter on slides (from page 388 onwards).</p> | Slide                                  | S  | 16/19 | 18 | EB | 29 | 30 |  | A | 21.5 | 22.5 |  |  |
| Slide   | S   | 16/19                                  | 18 |       |    |    |    |    |  |   |      |      |  |  |
| EB  | 29  | 30                                     |    |       |    |    |    |    |  |   |      |      |  |  |
| A   | 21.5  | 22.5                                   |    |       |    |    |    |    |  |   |      |      |  |  |
| <p>* Recommendation/minimum dimension: 49.5 mm/Tipmatic Soft-close: 58 mm</p> |   |  |    |       |    |    |    |    |  |   |      |      |  |  |

Mounting positions for full extension slide

**40 kg**      **70 kg**

**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>KV</b>  | Cabinet front edge         | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>L</b>   | Length                     | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>IBB</b> | Inset panel width   | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |




# NOVA PRO DELUXE

Inset panel for inset drawer H90 with round railing on 3 sides



- Inset panel and clip colour-coordinated with drawer sides
- Same dimensions as standard drawers (inside depth)
- Easy mounting of the clips onto the front panel profile and railing
- Tool-free fitting and removal of the inset panel
- Front panel profile and cross railing for cutting to length
- Round railing with railing holder (rear) for screw fitting

## ORDER INFORMATION

|          |   |   |
|----------|---|---|
| <b>1</b> | <b>Inset panel for inset drawer H90 with round railing on 3 sides</b><br>Single item: for cutting to length |  |
|----------|---|---|

| L    | Metallic   |  | Pure White |  |
|------|------------|--|------------|--|
|      | Art. No.   |  | Art. No.   |  |
| 1083 | F102051147 |  | F102051135 |  |

|          |  |  |
|----------|--|--|
| <b>2</b> | <b>Cross railing</b><br>Single item: for cutting to length |  |
|----------|--|--|


| L    | Metallic   |  | Pure White |  |
|------|------------|--|------------|--|
|      | Art. No.   |  | Art. No.   |  |
| 1099 | F102045032 |  | F102051650 |  |

|          |  |   |
|----------|--|---|
| <b>3</b> | <b>Round railing, screw fitting, wooden back panel</b><br>Set: railing, railing holder (rear), one left, one right |  |
|----------|--|---|


| NL  | Metallic   |  | Pure White |  |
|-----|------------|--|------------|--|
|     | Art. No.   |  | Art. No.   |  |
| 270 | F102048537 |  | F102100675 |  |
| 300 | F102045969 |  | F102045962 |  |
| 350 | F102045970 |  | F102045963 |  |
| 400 | F102045971 |  | F102045964 |  |
| 450 | F102045972 |  | F102045965 |  |
| 500 | F102045973 |  | F102045966 |  |
| 550 | F102045974 |  | F102045967 |  |
| 600 | F102045975 |  | F102045968 |  |
| 650 | F102068000 |  | -          |  |

|          |   |   |
|----------|---|---|
| <b>4</b> | <b>Clip H154 for inset panel, cross railing and round railing</b><br>Set: one left, one right |  |
|----------|---|---|

|  | Metallic   |  | Pure White |  |
|--|------------|--|------------|--|
|  | Art. No.   |  | Art. No.   |  |
|  | F102066502 |  | F102077079 |  |

|          |  |   |
|----------|--|---|
| <b>5</b> | <b>Nova Pro Deluxe drawer sides H90 see page 360</b> |  |
|----------|--|---|

|  |  |   |
|--|--|---|
|  | <b>Nova Pro slides from page 388 onwards</b> |  |
|--|--|---|





## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres




**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>KV</b>  | Cabinet front edge         | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>L</b>   | Length                     | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>IBB</b> | Inset panel width   | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |




# NOVA PRO DELUXE

Inset panel for inset drawer H90 with rectangular railing on 3 sides



- Inset panel and clip colour-coordinated with drawer sides
- Same dimensions as standard drawers (inside depth)
- Easy mounting of the clips onto the front panel profile and railing
- Tool-free fitting and removal of the inset panel
- Front panel profile and cross railing for cutting to length
- Rectangular railing with railing holder (rear) for screw fitting


## ORDER INFORMATION

|          |   |   |
|----------|---|---|
| <b>1</b> | <b>Inset panel for inset drawer H90 with rectangular railing on 3 sides</b><br>Single item: for cutting to length |  |
|----------|---|---|


| L    | Metallic   |  | Pure White |  |
|------|------------|--|------------|--|
|      | Art. No.   |  | Art. No.   |  |
| 1083 | F102051147 |  | F102051135 |  |

|          |  |  |
|----------|--|--|
| <b>2</b> | <b>Cross railing</b><br>Single item: for cutting to length |  |
|----------|--|--|


| L    | Metallic   |  | Pure White |  |
|------|------------|--|------------|--|
|      | Art. No.   |  | Art. No.   |  |
| 1150 | F102076663 |  | F102076684 |  |

|          |  |   |
|----------|--|---|
| <b>3</b> | <b>Clip for inset panel, cross railing and rectangular railing</b><br>Set: one left, one right |  |
|----------|--|---|


|  | Metallic   |  | Pure White |  |
|--|------------|--|------------|--|
|  | Art. No.   |  | Art. No.   |  |
|  | F102066501 |  | F102077076 |  |

|          |   |   |
|----------|---|---|
| <b>4</b> | <b>Rectangular railing for screw fitting</b><br>Set: railing and railing holder (rear), one left, one right |  |
|----------|---|---|

| NL  | Metallic   |  | Pure White |  |
|-----|------------|--|------------|--|
|     | Art. No.   |  | Art. No.   |  |
| 270 | F102100674 |  | F102100675 |  |
| 300 | F102045858 |  | F102045851 |  |
| 350 | F102045859 |  | F102045852 |  |
| 400 | F102045860 |  | F102045853 |  |
| 450 | F102045861 |  | F102045854 |  |
| 500 | F102045862 |  | F102045855 |  |
| 550 | F102045863 |  | F102045856 |  |
| 600 | F102045864 |  | F102045857 |  |
| 650 | F102066918 |  | F102077443 |  |

|          |  |   |
|----------|--|---|
| <b>5</b> | <b>Nova Pro Deluxe drawer sides H90 see page 360</b> |  |
|----------|--|---|

|  |  |   |
|--|--|---|
|  | <b>Nova Pro slides from page 388 onwards</b> |  |
|--|--|---|



## PAGE REFERENCES



|                       |     |
|-----------------------|-----|
| Tipmatic Soft-close   | 392 |
| Accessories           | 396 |
| Technical information | 400 |

|                     |     |
|---------------------|-----|
| Organising systems  | 577 |
| Sensomatic          | 617 |
| Assembly technology | 637 |

|               |     |
|---------------|-----|
| Assembly aids | 658 |
|               |     |
|               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres



**LEGEND**


|     |                     |     |                            |     |                   |
|-----|---------------------|-----|----------------------------|-----|-------------------|
| B   | Bottom panel        | KV  | Cabinet front edge         | NL  | Nominal length    |
| BB  | Bottom panel width  | L   | Length                     | RW  | Back panel        |
| BL  | Bottom panel length | LWK | Inside cabinet width       | RWB | Back panel width  |
| IBB | Inset panel width   | MET | Minimum installation depth | RWH | Back panel height |

1  
2  
3  
4  
5  
6  
7  
8







# NOVA PRO DELUXE CRYSTAL


Inset panel for inset drawer H90



- Inset panel and clip colour-coordinated with drawer sides
- Same dimensions as standard drawers (inside depth)
- Easy mounting of the clips onto the front panel profile
- Tool-free fitting and removal of the inset panel
- Front panel profile for cutting to length

## ORDER INFORMATION

|   |            |   |            |
|---|------------|---|------------|
| <b>1</b> Inset panel for inset drawer H90<br>Single item: for cutting to length |            |    |            |
| L   | Metallic   |   | Pure White |
|   | Art. No.   |   | Art. No.   |
| 1150  | F102072321 |   | F102076543 |
| <b>2</b> Clip for inset panel<br>Set: one left, one right                       |            |   |            |
|   | Metallic   |   | Pure White |
|   | Art. No.   |   | Art. No.   |
|   | F102071988 |   | F102076544 |
| <b>3</b> Nova Pro Deluxe drawer sides H90 see page 360                          |            |  |            |
| Nova Pro slides from page 388 onwards   |            |  |            |



## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres

| Front panel installation dimensions   | Back panel installation dimensions  | Cutting dimensions for 16 mm chipboard |    |       |    |    |    |    |  |   |      |      |  |  |
|---|---|--|----|-------|----|----|----|----|--|---|------|------|--|--|
|   |   |  |    |       |    |    |    |    |  |   |      |      |  |  |
|   | <table border="1"> <thead> <tr> <th>Slide</th> <th>S</th> <th>16/19</th> <th>18</th> </tr> </thead> <tbody> <tr> <td>EB</td> <td>29</td> <td>30</td> <td></td> </tr> <tr> <td>A</td> <td>21.5</td> <td>22.5</td> <td></td> </tr> </tbody> </table> <p><b>Note:</b> Slide available in two versions: S16/S19 and S18. See the chapter on slides (from page 388 onwards).</p> | Slide                                  | S  | 16/19 | 18 | EB | 29 | 30 |  | A | 21.5 | 22.5 |  |  |
| Slide   | S   | 16/19                                  | 18 |       |    |    |    |    |  |   |      |      |  |  |
| EB  | 29  | 30                                     |    |       |    |    |    |    |  |   |      |      |  |  |
| A   | 21.5  | 22.5                                   |    |       |    |    |    |    |  |   |      |      |  |  |
| <p>* Recommendation/minimum dimension: 49.5 mm/Tipmatic Soft-close: 58 mm</p> |   |  |    |       |    |    |    |    |  |   |      |      |  |  |

**Mounting positions for full extension slide**

**40 kg**      **70 kg**


**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>KV</b>  | Cabinet front edge         | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>L</b>   | Length                     | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>IBB</b> | Inset panel width   | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |



# NOVA PRO DELUXE CRYSTAL

Inset panel for Crystal inset drawer H90 with cross railing





- Inset panel and clip colour-coordinated with drawer sides
- Same dimensions as standard drawers (inside depth)
- Easy mounting of the clips onto the front panel profile and railing
- Tool-free fitting and removal of the inset panel
- Front panel profile and cross railing for cutting to length


**Note:**


- Slide-in elements not included in the scope of delivery


## ORDER INFORMATION


|          |  |   |
|----------|--|---|
| <b>1</b> | <b>Inset panel for Crystal inset drawer H90 with cross railing</b><br>Single item: for cutting to length |  |
| L        | Metallic   | Pure White  |
|          | Art. No.   | Art. No.  |
| 1150     | F102072321   | F102076543  |

|          |  |  |
|----------|--|--|
| <b>2</b> | <b>Cross railing</b><br>Single item: for cutting to length |  |
| L        | Metallic   | Pure White   |
|          | Art. No.   | Art. No.   |
| 1150     | F102076663   | F102076684   |


|          |  |   |
|----------|--|---|
| <b>3</b> | <b>Clip H186 for inset panel and cross railing</b><br>Set: one left, one right |  |
|          | Metallic   | Pure White  |
|          | Art. No.   | Art. No.  |
|          | F102071989   | F102076545  |

|          |   |   |
|----------|---|---|
| <b>4</b> | <b>Glass holder (front) for clip-on fitting</b><br>Set: one left, one right |  |
|          | Metallic  | Pure White  |
|          | Art. No.  | Art. No.  |
|          | F102068288  | F102076536  |

|          |  |   |
|----------|--|---|
| <b>5</b> | <b>Glass holder for wooden back panel, screw fitting</b><br>Set: one left, one right |  |
|          | Metallic   | Pure White  |
|          | Art. No.   | Art. No.  |
|          | F102068877   | F102076539  |

|          |  |   |
|----------|--|---|
| <b>6</b> | <b>Nova Pro Deluxe Crystal drawer sides H90 see page 366</b> |  |
|----------|--|---|

|  |  |   |
|--|--|---|
|  | <b>Nova Pro slides from page 388 onwards</b> |  |
|--|--|---|



## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres

| Front panel installation dimensions | Back panel installation dimensions  | Cutting dimensions for 16 mm chipboard |      |    |   |       |    |    |      |    |    |    |      |  |
|-------------------------------------|---|--|------|----|---|-------|----|----|------|----|----|----|------|--|
|                                     |   |  |      |    |   |       |    |    |      |    |    |    |      |  |
|                                     | <table border="1"> <thead> <tr> <th>Slide</th> <th>S</th> <th>EB</th> <th>A</th> </tr> </thead> <tbody> <tr> <td>16/19</td> <td>16</td> <td>29</td> <td>21.5</td> </tr> <tr> <td>18</td> <td>18</td> <td>30</td> <td>22.5</td> </tr> </tbody> </table> <p><b>Note:</b> Slide available in two versions: S16/S19 and S18. See the chapter on slides (from page 388 onwards).</p> | Slide                                  | S    | EB | A | 16/19 | 16 | 29 | 21.5 | 18 | 18 | 30 | 22.5 |  |
| Slide                               | S   | EB                                     | A    |    |   |       |    |    |      |    |    |    |      |  |
| 16/19                               | 16  | 29                                     | 21.5 |    |   |       |    |    |      |    |    |    |      |  |
| 18                                  | 18  | 30                                     | 22.5 |    |   |       |    |    |      |    |    |    |      |  |


\* Recommendation/minimum dimension: 49.5 mm/Tipmatic Soft-close: 58 mm

Mounting positions for full extension slide

**40 kg**      **70 kg**


**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>KV</b>  | Cabinet front edge         | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>L</b>   | Length                     | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>IBB</b> | Inset panel width   | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |



# NOVA PRO DELUXE CRYSTAL

Inset panel for Crystal inset drawer H90 with slide-in element




- Inset panel and clip colour-coordinated with drawer sides
- Same dimensions as standard drawers (inside depth)
- Easy mounting of the clips onto the front panel profile and slide-in element
- Tool-free fitting and removal of the inset panel
- Front panel profile for cutting to length


**Note:**

- Slide-in elements not included in the scope of delivery

## ORDER INFORMATION

|          |   |   |
|----------|---|---|
| <b>1</b> | <b>Inset panel for Crystal inset drawer H90 with slide-in element</b><br>Single item: for cutting to length |  |
|----------|---|---|

| L    | Metallic          |  | Pure White        |  |
|------|-------------------|--|-------------------|--|
|      | Art. No.          |  | Art. No.          |  |
| 1150 | <b>F102072321</b> |  | <b>F102076543</b> |  |

|          |   |  |
|----------|---|--|
| <b>2</b> | <b>Clip H186 for inset panel and slide-in element</b><br>Set: one left, one right |  |
|----------|---|--|

|  | Metallic          |  | Pure White        |  |
|--|-------------------|--|-------------------|--|
|  | Art. No.          |  | Art. No.          |  |
|  | <b>F102076705</b> |  | <b>F102076704</b> |  |

|          |   |   |
|----------|---|---|
| <b>3</b> | <b>Glass holder (front) for clip-on fitting</b><br>Set: one left, one right |  |
|----------|---|---|


|  | Metallic          |  | Pure White        |  |
|--|-------------------|--|-------------------|--|
|  | Art. No.          |  | Art. No.          |  |
|  | <b>F102068288</b> |  | <b>F102076536</b> |  |

|          |  |   |
|----------|--|---|
| <b>4</b> | <b>Glass holder for wooden back panel, screw fitting</b><br>Set: one left, one right |  |
|----------|--|---|

|  | Metallic          |  | Pure White        |  |
|--|-------------------|--|-------------------|--|
|  | Art. No.          |  | Art. No.          |  |
|  | <b>F102068877</b> |  | <b>F102076539</b> |  |

|          |  |   |
|----------|--|---|
| <b>5</b> | <b>Nova Pro Deluxe Crystal drawer sides H90 see page 366</b> |  |
|----------|--|---|

|  |   |
|--|---|
| <b>Nova Pro slides from page 388 onwards</b> |  |
|--|---|





## PAGE REFERENCES

|                       |     |                     |     |               |     |
|-----------------------|-----|---------------------|-----|---------------|-----|
| Tipmatic Soft-close   | 392 | Organising systems  | 577 | Assembly aids | 658 |
| Accessories           | 396 | Sensomatic          | 617 |               |     |
| Technical information | 400 | Assembly technology | 637 |               |     |

**PLANNING DIMENSIONS**

All dimensions in millimetres




**LEGEND**

|            |                     |            |                            |            |                   |
|------------|---------------------|------------|----------------------------|------------|-------------------|
| <b>B</b>   | Bottom panel        | <b>KV</b>  | Cabinet front edge         | <b>NL</b>  | Nominal length    |
| <b>BB</b>  | Bottom panel width  | <b>L</b>   | Length                     | <b>RW</b>  | Back panel        |
| <b>BL</b>  | Bottom panel length | <b>LWK</b> | Inside cabinet width       | <b>RWB</b> | Back panel width  |
| <b>IBB</b> | Inset panel width   | <b>MET</b> | Minimum installation depth | <b>RWH</b> | Back panel height |



# NOVA PRO SOFT-CLOSE S16/S19

Full extension slide 40/70 kg




- Excellent running characteristics
- Fully synchronised slide technology
- Soft-close damping system
- Limit stop damper
- Maximum lateral stability
- Minimum drawer deflection
- Suitable for all Nova Pro drawer sides

#### Notes:



- For use with cabinet side wall S16 and S19 mm
- Installation width 29 mm
- See planning dimensions

## ORDER INFORMATION

| 1 Nova Pro full extension slide Soft-close S16/S19<br>Set: one left, one right |            |  |  |  |            |  |  |  |  |  |  |  |
|--|------------|--|--|--|------------|--|--|--|--|--|--|--|
| NL   | 40 kg      |  |  |  | 70 kg      |  |  |  |  |  |  |  |
|  | Art. No.   |  |  |  | Art. No.   |  |  |  |  |  |  |  |
| 270  | F101108261 |  |  |  | -          |  |  |  |  |  |  |  |
| 300  | F101108264 |  |  |  | -          |  |  |  |  |  |  |  |
| 350  | F101108267 |  |  |  | -          |  |  |  |  |  |  |  |
| 400  | F101108270 |  |  |  | -          |  |  |  |  |  |  |  |
| 450  | F101108273 |  |  |  | F101108285 |  |  |  |  |  |  |  |
| 500  | F101108276 |  |  |  | F101108288 |  |  |  |  |  |  |  |
| 550  | F101108279 |  |  |  | F101108291 |  |  |  |  |  |  |  |
| 600  | F101108282 |  |  |  | F101108294 |  |  |  |  |  |  |  |
| 650  | -          |  |  |  | F101108297 |  |  |  |  |  |  |  |



Nova Pro Deluxe drawer sides  
from page 358 onwards





## PAGE REFERENCES

|                       |     |                     |     |  |  |
|-----------------------|-----|---------------------|-----|--|--|
| Accessories           | 396 | Sensomatic          | 617 |  |  |
| Technical information | 400 | Assembly technology | 637 |  |  |
| Organising systems    | 577 | Assembly aids       | 658 |  |  |

**PLANNING DIMENSIONS**

All dimensions in millimetres



**LEGEND**

- KV** Cabinet front edge
- MET** Minimum installation depth
- NL** Nominal length
- S** Cabinet side wall

1

2

3

4

5

6

7

8



# NOVA PRO SOFT-CLOSE S 18

Full extension slide 40/70 kg




- Excellent running characteristics
- Fully synchronised slide technology
- Soft-close damping system
- Limit stop damper
- Maximum lateral stability
- Minimum drawer deflection
- Suitable for all Nova Pro drawer sides

#### Notes:



- For use with cabinet side wall S18 mm
- Installation width 30 mm
- See planning dimensions

## ORDER INFORMATION

| 1 Nova Pro full extension slide Soft-close S18<br>Set: one left, one right |            |  |  |  |            |  |  |  |  |  |  |  |
|--|------------|--|--|--|------------|--|--|--|--|--|--|--|
| NL   | 40 kg      |  |  |  | 70 kg      |  |  |  |  |  |  |  |
|  | Art. No.   |  |  |  | Art. No.   |  |  |  |  |  |  |  |
| 270  | F101108450 |  |  |  | -          |  |  |  |  |  |  |  |
| 300  | F101108453 |  |  |  | -          |  |  |  |  |  |  |  |
| 350  | F101108456 |  |  |  | -          |  |  |  |  |  |  |  |
| 400  | F101108459 |  |  |  | -          |  |  |  |  |  |  |  |
| 450  | F101108462 |  |  |  | F101108474 |  |  |  |  |  |  |  |
| 500  | F101108465 |  |  |  | F101108477 |  |  |  |  |  |  |  |
| 550  | F101108468 |  |  |  | F101108480 |  |  |  |  |  |  |  |
| 600  | F101108471 |  |  |  | F101108483 |  |  |  |  |  |  |  |
| 650  | -          |  |  |  | F101108486 |  |  |  |  |  |  |  |



Nova Pro Deluxe drawer sides  
from page 358 onwards





## PAGE REFERENCES

|                       |     |                     |     |  |  |
|-----------------------|-----|---------------------|-----|--|--|
| Accessories           | 396 | Sensomatic          | 617 |  |  |
| Technical information | 400 | Assembly technology | 637 |  |  |
| Organising systems    | 577 | Assembly aids       | 658 |  |  |

**PLANNING DIMENSIONS**

All dimensions in millimetres



**LEGEND**

- KV Cabinet front edge
- MET Minimum installation depth
- NL Nominal length
- S Cabinet side wall

1

2

3

4

5

6

7

8

# NOVA PRO TIPMATIC SOFT-CLOSE S16/S19

Full extension slide 40/70 kg



- Mechanical opening system for handle-free fronts
- Combines Tipmatic function with Soft-close damper
- Easy installation of the Tipmatic Soft-close unit
- Can be used for Nova Pro Soft-close full extension slides
- One unit for all nominal lengths and weight classes
- 3-stage adjustment of the opening force
- Large activation zone through synchronisation rod

#### Notes:

- For use with cabinet side wall S16 and S19 mm
- Installation width 29 mm
- See planning dimensions

## ORDER INFORMATION

| 1 Nova Pro full extension slide Soft-close S16/S19<br>Set: one left, one right |            |  |  |  |  |            |  |  |  |  |  |  |  |  |  |
|--|------------|--|--|--|--|------------|--|--|--|--|--|--|--|--|--|
| NL   | 40 kg      |  |  |  |  | 70 kg      |  |  |  |  |  |  |  |  |  |
|  | Art. No.   |  |  |  |  | Art. No.   |  |  |  |  |  |  |  |  |  |
| 270*   | F101108261 |  |  |  |  | -          |  |  |  |  |  |  |  |  |  |
| 300  | F101108264 |  |  |  |  | -          |  |  |  |  |  |  |  |  |  |
| 350  | F101108267 |  |  |  |  | -          |  |  |  |  |  |  |  |  |  |
| 400  | F101108270 |  |  |  |  | -          |  |  |  |  |  |  |  |  |  |
| 450  | F101108273 |  |  |  |  | F101108285 |  |  |  |  |  |  |  |  |  |
| 500  | F101108276 |  |  |  |  | F101108288 |  |  |  |  |  |  |  |  |  |
| 550  | F101108279 |  |  |  |  | F101108291 |  |  |  |  |  |  |  |  |  |
| 600  | F101108282 |  |  |  |  | F101108294 |  |  |  |  |  |  |  |  |  |
| 650  | -          |  |  |  |  | F101108297 |  |  |  |  |  |  |  |  |  |


\* Tipmatic Soft-close not possible when using steel back panel

| 2 Nova Pro Tipmatic Soft-close<br>Set: unit and activator, one left, one right |            |  | 3 Synchronisation rod for Nova Pro Tipmatic Soft-close<br>Single item: for cutting to length |            |  |
|--|------------|--|--|------------|--|
| Description  | Art. No.   |  | Length   | Art. No.   |  |
| For screw fitting  | F102109293 |  | 962 mm   | F102109393 |  |
|  |            |  | 1562 mm  | F102109394 |  |
|  |            |  | 1952 mm  | F134131408 |  |

| 4 Support for synchronisation rod<br>Single item: for screw fitting |            |  |
|---|------------|--|
| Description   | Art. No.   |  |
| For KB 800 mm and above   | F102108021 |  |

| Individual components  |            |  |
|--|------------|--|
| Description  | Art. No.   |  |
| Nova Pro Tipmatic Soft-close unit<br>Set: one left, one right      | F102109294 |  |
| Nova Pro Tipmatic Soft-close activator<br>Set: one left, one right | F102109295 |  |



| Nova Pro Deluxe drawer sides<br>from page 358 onwards |  |  |
|---|--|--|
|   |  |  |



|                       |     |                     |     |  |  |
|-----------------------|-----|---------------------|-----|--|--|
| Accessories           | 396 | Assembly technology | 637 |  |  |
| Technical information | 400 | Assembly aids       | 658 |  |  |
| Organising systems    | 577 |                     |     |  |  |

**PLANNING DIMENSIONS**

All dimensions in millimetres



**LEGEND**

|     |                      |     |                            |
|-----|----------------------|-----|----------------------------|
| FR  | Front                | MET | Minimum installation depth |
| KB  | Cabinet width        | NL  | Nominal length             |
| KV  | Cabinet front edge   | S   | Cabinet side wall          |
| LWK | Inside cabinet width |     |                            |



# NOVA PRO TIPMATIC SOFT-CLOSE S18

Full extension slide 40/70 kg



- Mechanical opening system for handle-free fronts
- Combines Tipmatic function with Soft-close damper
- Easy installation of the Tipmatic Soft-close unit
- Can be used for Nova Pro Soft-close full extension slides
- One unit for all nominal lengths and weight classes
- 3-stage adjustment of the opening force
- Large activation zone through synchronisation rod

#### Notes:

- For use with cabinet side wall S18 mm
- Installation width 30 mm
- See planning dimensions

## ORDER INFORMATION

| 1 Nova Pro full extension slide Soft-close S18<br>Set: one left, one right |            |  |  |  |            |  |  |  |  |
|--|------------|--|--|--|------------|--|--|--|--|
| NL   | 40 kg      |  |  |  | 70 kg      |  |  |  |  |
|  | Art. No.   |  |  |  | Art. No.   |  |  |  |  |
| 270*   | F101108450 |  |  |  | -          |  |  |  |  |
| 300  | F101108453 |  |  |  | -          |  |  |  |  |
| 350  | F101108456 |  |  |  | -          |  |  |  |  |
| 400  | F101108459 |  |  |  | -          |  |  |  |  |
| 450  | F101108462 |  |  |  | F101108474 |  |  |  |  |
| 500  | F101108465 |  |  |  | F101108477 |  |  |  |  |
| 550  | F101108468 |  |  |  | F101108480 |  |  |  |  |
| 600  | F101108471 |  |  |  | F101108483 |  |  |  |  |
| 650  | -          |  |  |  | F101108486 |  |  |  |  |


\* Tipmatic Soft-close not possible when using steel back panel

| 2 Nova Pro Tipmatic Soft-close<br>Set: unit and activator, one left, one right |            |  | 3 Synchronisation rod for Nova Pro Tipmatic Soft-close<br>Single item: for cutting to length |            |  |
|--|------------|--|--|------------|--|
| Description  | Art. No.   |  | Length   | Art. No.   |  |
| For screw fitting  | F102109293 |  | 962 mm   | F102109393 |  |
|  |            |  | 1562 mm  | F102109394 |  |
|  |            |  | 1952 mm  | F134131408 |  |

| 4 Support for synchronisation rod<br>Single item: for screw fitting |            |  |
|---|------------|--|
| Description   | Art. No.   |  |
| For KB 800 mm and above   | F102108021 |  |

| Individual components  |            |  |
|--|------------|--|
| Description  | Art. No.   |  |
| Nova Pro Tipmatic Soft-close unit<br>Set: one left, one right      | F102109294 |  |
| Nova Pro Tipmatic Soft-close activator<br>Set: one left, one right | F102109295 |  |



| Nova Pro Deluxe drawer sides<br>from page 358 onwards |  |  |
|---|--|--|
|   |  |  |



|                       |     |                     |     |  |  |
|-----------------------|-----|---------------------|-----|--|--|
| Accessories           | 396 | Assembly technology | 637 |  |  |
| Technical information | 400 | Assembly aids       | 658 |  |  |
| Organising systems    | 577 |                     |     |  |  |

PLANNING DIMENSIONS

All dimensions in millimetres



LEGEND

FR Front  
KB Cabinet width  
KV Cabinet front edge  
LWK Inside cabinet width

MET Minimum installation depth  
NL Nominal length  
S Cabinet side wall



# NOVA PRO

## Accessories




- Maximum stability for extra-wide regular and pot drawers
- Outstanding pull-out comfort and perfect running
- For drawer widths up to 1500 mm

### SIDE STABILISING DEVICE


| 1 Torsion bar                                  |                   |  |  |  |
|--|-------------------|--|--|--|
| Set: torsion bar, pinion, support (left/right) |                   |  |  |  |
| KB   | Art. No.          |  |  |  |
| 900  | <b>F102066385</b> |  |  |  |
| 1000   | <b>F102066386</b> |  |  |  |
| 1100   | <b>F102066387</b> |  |  |  |
| 1200   | <b>F102066388</b> |  |  |  |
| 1500   | <b>F102066389</b> |  |  |  |



| 2 Gliding channel        |                    |  |  |  |
|--------------------------|--------------------|--|--|--|
| Set: one left, one right |                    |  |  |  |
| NL                       | Aluminium metallic |  |  |  |
| 450                      | <b>F102050864</b>  |  |  |  |
| 500                      | <b>F102050865</b>  |  |  |  |
| 550                      | <b>F102050866</b>  |  |  |  |
| 600                      | <b>F102050867</b>  |  |  |  |
| 650                      | <b>F102050868</b>  |  |  |  |



**Note:** For special outside cabinet width: torsion bar KB – 100 mm



### PAGE REFERENCES

|                     |     |                       |     |                     |     |
|---------------------|-----|-----------------------|-----|---------------------|-----|
| Drawer sides        | 358 | Technical information | 400 | Assembly technology | 637 |
| Slides              | 388 | Organising systems    | 577 | Assembly aids       | 658 |
| Tipmatic Soft-close | 392 | Sensomatic            | 617 |                     |     |

## PLANNING DIMENSIONS

| Installation of the gliding channel |     | NL  | LTK |
|-------------------------------------|-----|-----|-----|
|                                     | 450 | 450 | 469 |
|                                     | 500 | 500 | 519 |
|                                     | 550 | 550 | 569 |
|                                     | 600 | 600 | 619 |
|                                     | 650 | 650 | 669 |
|                                     |     |     |     |

| Side view | Front view | Rear view |
|-----------|------------|-----------|
|           |            |           |

| Installing the side stabilising device |  |
|--|--|
|  | <ol style="list-style-type: none"> <li>1 Position the left and right supports</li> <li>2 Screw on the support<br/>Depending on the back panel, use<br/><b>Wood RW:</b> chipboard screws <math>\text{\O} 4 \times 20 \text{ mm}</math><br/><b>Steel RW:</b> sheet metal screws <math>\text{\O} 4.8 \times 13 \text{ mm}</math></li> <li>3 Insert torsion bar and slide in the pinion</li> <li>4 Push in the pinion until it locks. Done!</li> </ol> <p><b>NOTES</b></p> <p>Additional <math>\text{\O} 4 \times 15 \text{ mm}</math> fastening possible with wooden back panel</p> <ul style="list-style-type: none"> <li>• Drawer widths 900 to 1500 mm</li> <li>• Slide lengths 450 to 600 mm</li> <li>• Cabinet sides 15 to 19 mm</li> <li>• Torsion bar length = outside cabinet width – 100 mm</li> </ul> |

## LEGEND


|     |                      |     |                    |
|-----|----------------------|-----|--------------------|
| EB  | Installation width   | NL  | Nominal length     |
| KB  | Cabinet width        | RW  | Back panel         |
| KV  | Cabinet front edge   | S   | Cabinet side wall  |
| LTK | Inside cabinet depth | TSL | Torsion bar length |





# NOVA PRO

## Accessories



### CHILD LOCK

|  |  | Art. No.          |
|--|--|-------------------|
| <ul style="list-style-type: none"> <li>When activated, this limits the drawer opening to a gap.</li> <li>After activating a concealed release lever underneath the drawer, the drawer opens completely</li> <li>Concealed mounting prevents the child from learning and copying</li> <li>Entire storage space of the drawer can be utilised</li> <li>No damage to the front and cabinet</li> <li>Can also be retrofitted</li> <li>Tool-free deactivation if necessary</li> <li>Can be used with all Nova Pro add-on systems, as it is mounted on the bottom panel</li> <li>Cannot be used in combination with Tipmatic Soft-close</li> </ul> |  | <b>F102108857</b> |

### FRONT-BOTTOM CONNECTOR

|  |   | Art. No.  |                   |
|--|---|---|-------------------|
| <ul style="list-style-type: none"> <li>For wide drawers, cabinet width 800 mm and above</li> </ul> |  |  | <b>F148026744</b> |

### BLIND PANEL SNAP-ON BRACKET

|   |   | Art. No.   |                   |
|---|---|--|-------------------|
| <ul style="list-style-type: none"> <li>Tool-free fitting and removal</li> <li>Quick snap-on fitting and removal of the front</li> <li>Worktop</li> <li>Already fitted: min. 5.5 mm</li> <li>Not fitted: 0 mm</li> <li>Side adjustment +/- 1.5 mm</li> <li>Height adjustment +/- 2 mm</li> <li>Depth adjustment +/- 1.5 mm</li> </ul> <p><b>Note:</b><br/>Installation hook not included</p> |  |  | <b>F102108430</b> |

### PAGE REFERENCES

|                     |     |                       |     |                     |     |
|---------------------|-----|-----------------------|-----|---------------------|-----|
| Drawer sides        | 358 | Technical information | 400 | Assembly technology | 637 |
| Slides              | 388 | Organising systems    | 577 | Assembly aids       | 658 |
| Tipmatic Soft-close | 392 | Sensomatic            | 617 |                     |     |

## NOVA PRO SPACER

|  |  | Colour | Art. No.                   |
|--|--|--------|----------------------------|
| <ul style="list-style-type: none"> <li>Allows inset drawers to be pulled out with no collision in the case of hinged doors with protrusion</li> <li>Fix the spacer in the row of holes, then screw the slide into the spacer</li> <li>Thickness 25 mm</li> <li>Can be used on left/right</li> <li>Colours White and Stone</li> </ul> |  |        | White<br><b>F102062616</b> |
|  |  |        | Stone<br><b>F102131359</b> |

## FRONT-BOTTOM CONNECTOR FOR F8 INSET PANEL

|  |  |                      | Art. No.          |
|--|--|----------------------|-------------------|
| <ul style="list-style-type: none"> <li>For wide drawers, cabinet width 600 mm and above</li> </ul> |  | KB = 600–800 mm<br>  | <b>F145117993</b> |
|  |  | KB = 800–1200 mm<br> |                   |

## FRONT BUFFER

|  |  | Art. No.          |
|--|--|-------------------|
| <ul style="list-style-type: none"> <li>Gentle closing of door against cabinet</li> </ul> |  | <b>F071044351</b> |

## LEGEND

|     |                        |    |                   |    |                 |
|-----|------------------------|----|-------------------|----|-----------------|
| B   | Bottom panel           | FS | Front gap         | SV | Side adjustment |
| ES  | Euro countersunk screw | HV | Height adjustment |    |                 |
| FR  | Front                  | KB | Cabinet width     |    |                 |
| FRA | Free space             | L  | Length            |    |                 |

# NOVA PRO DELUXE

## Technical information

### PLANNING DIMENSIONS

#### Installation dimensions for Nova Pro Deluxe

##### Installation advice

**Installation dimensions:** 58 mm

Bottom panel thickness 16 mm

##### Full extension fixing:

Euro screws  $\varnothing$  6 x min. 13 mm


Drilling depth - 13 mm

##### Front hook:

Chipboard screw  $\varnothing$  3.5 x min. 11 mm,


Head  $\varnothing$  max. 7 mm

When using a grade of chipboard based on a resistance to axial withdrawal of screws to DIN EN 320 (>1000 N), we recommend fixing with standard Euro screws  $\varnothing$  6 x 13 mm, as specified above. Fixing methods that deviate from the specifications must be checked by the furniture manufacturer.




### ADJUSTMENT

#### Height adjustment with eccentric screw



- Height adjustment: Slightly loosen screw 2 and move the front to the desired height position using eccentric screw 3. Adjustment range  $\pm 2$  mm
- Tighten screw 2

#### Side adjustment



- Side adjustment: Push clamping lever 1 back slightly, lift the front slightly and move it over the ribbing; adjustment range  $\pm 1.5$  mm
- Release the clamping lever



### PAGE REFERENCES

|                     |     |                    |     |                     |     |
|---------------------|-----|--------------------|-----|---------------------|-----|
| Drawer sides        | 358 | Accessories        | 396 | Assembly technology | 637 |
| Slides              | 388 | Organising systems | 577 | Assembly aids       | 658 |
| Tipmatic Soft-close | 392 | Sensomatic         | 617 |                     |     |